

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	10622	700/18,86,87,121;711/102,103;365/189.04,189.05,219;710/52,53,71;326/37,38.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 12:44
L2	10622	700/18,86,87,121;711/102,103;365/189.04,189.05,219;710/52,53,71;326/37,38.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 12:47
L3	1616	700/18,86,87,121;711/102,103;365/189.04,189.05,219;710/52,53,71;326/37,38.ccls. and @py>="2004"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 12:44
L4	7319	700/18,86,87,121;711/102,103;365/189.04,189.05,219.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:07
L5	3369	710/52,53,71;326/37,38.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:08
L6	3303	5 not 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:30
L7	3	"6564283".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:30
L8	237	nonvolatile adj memory near programming	USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:39
L9	308	nonvolatile adj memory near programming	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:40
L10	71	9 not 8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:42

L11	230	serial adj data with stop adj bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:42
L12	51	completion with stop adj bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:46
L13	304	memory adj capacity near determin\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:48
L14	21	data adj transferring and programming with nonvolatile adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:49
L15	230	serial adj data with stop adj bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:50
L16	71	voltage adj generating with nonvolatile adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:52
L17	5	programming near enable with nonvolatile adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:53
L18	5	programming near enable with nonvolatile adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:53
L19	0	serial adj data with stop adj bit with nonvolatile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:53
L20	101	programming with nonvolatile with (buffer or register)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:54

L21	134	latch with buffer with non\$1volatile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:58
L22	71	non\$1volatile with data adj transfer with (buffer or latch)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 13:59
L23	17	data adj transfer with (completion or end) with stop adj bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:01
L24	811	programming adj non\$1volatile adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:02
L25	12	programming adj non\$1volatile adj memory with buffer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:05
L26	6	write adj buffer adj width	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:06
L27	28	non\$1volatile adj memory near program\$5 with control adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:08
L28	7	non\$1volatile adj memory near program\$5 with serial adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:09
L29	338	temporary adj storage with data adj transfer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:10
L30	62	serial adj address with serial adj data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:11

L31	5	memory with program\$5 with stop adj bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:13
L32	9	transmission near (complete or end) with non\$1volatile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:13
L33	13	transmission near (complete or end or finish) near indicator	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:14
L34	140	stop adj bit adj detect\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:15
L35	1594	sequential with transfer\$4 with stor\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:15
L36	12	sequential with transfer\$4 with stor\$4 with non\$1volatile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:17
L37	65	write adj buffer with (EPROM or EEPROM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:18
L38	2	first adj group with data adj bits with nonvolatile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:18
L39	281	rewrite with data with nonvolatile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:19
L40	1	program\$5 adj non\$1volatile with data adj transfer\$4 near control\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:21

L41	101	detect\$4 near stop adj bit	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:33
L42	836	(flash or non\$1volatile or eeprom or eeprom) with program\$5 adj (time or period or duration)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:34
L43	1	(adjustable or variable) adj (time or period or duration) near (program\$4 or writ\$4) with (non\$1volatile or eeprom or eeprom or flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:40
L44	11	determin\$5 adj capacity near (non\$1volatile or eeprom or eeprom or flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:40
L45	29	high adj voltage adj generat\$3 near (non\$1volatile or eeprom or eeprom or flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:41
L46	345	(program\$4 or writ\$4) adj (time or period or duration) near (non\$1volatile or eeprom or eeprom or flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:42
L47	1890	(program\$4 or writ\$4) adj (time or period or duration) near (determin\$4 or set\$4 or select\$4 or control\$4 or choos\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:44
L48	84	(program\$4 or writ\$4) adj (time or period or duration) near (determin\$4 or set\$4 or select\$4 or control\$4 or choos\$4) with (non\$1volatile or eeprom or eeprom or flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:49
L49	5	(write adj data adj bus adj width or write adj buffer adj size) with (non\$1volatile or eeprom or eeprom or flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:50
L50	1	(write adj buffer adj size or write adj data adj bus adj width) near (signal or indicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:51

L51	3	(write adj buffer adj size or write adj data adj bus adj width) with (signal or indicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:58
L52	976	(buffer adj size or data adj bus adj width) with (signal or indicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 14:59
L53	157	((buffer adj size) or (data adj bus adj width)) near (signal or indicat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:01
L54	797	serial adj data with (non\$1volatile or EEPROM or EPROM or flash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/02/09 15:03